
No.



200100243

HHE UNITED STATUS OF ANTERIOA

TO AND TO WHOM THESE PRESENTS SHALL COME:

Mississippi Agriculturul und Yorestry Experiment Station

THETENS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE THE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW. THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY VEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLEMISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE FUGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR CONTINUED IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSE. OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

COTTON

'Miscot 8806'

In Testimone Thereof. I have hereunto set my hand and caused the seal of the Hant Bariety Protection Office to be affixed at the City of Washington, D.C. this twelfth day of December, in the year two thousand and five.

Attost:

@2m3-

Commissioner Plant Variety Protection Office Agricultural Marketing Service Socrotary of Agriculturo

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE (Instructions and information collection burden statement on reverse)

The following state nents are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is hold confidential until certificate is issued (7 U.S.C. 2426).

1 NAME OF OWNER			2. TEMPORARY DESIGNATE EXPERIMENTAL NAME	ON OR 3.	VARIETY NAME
Mississippi Agricultural and Fores	stry Exper	iment	8806-3-2-19		MISCOT 8806
4 ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and Count	n)		5. TELEPHONE (include area	code)	FOR OFFICIAL USE ONLY
Box 9740 210 Bost Building Mississippi State, MS 39762-9740	6. FAX (include area code) 6.62-325-3001		VPO NUMBER 20010024		
7. IF THE OWNER NAMED IS NOT A "PERSON", GIVE FORM OF ORGANIZATION (corporation, partnership, association, etc.)	8. IF INCORPORAT	TED, GIVE RPORATION	9. DATE OF INCORPORATIO	n (Maust 3.20
Education/Research Institution				0	
Vance H. Watson, Director Mississippi Agricultural and Fores Box 9740 210 Bost Building Mississippi State, MS 39762-9740		ì		FEES RECEIVED	FILING AND EXAMINATION FEES: \$ 2450.00 DATE 08/03/0 CERTIFICATION FEE: \$ 682.00 DATE 9/22/05
11 TELEPHONE (Include area code) 0868 71904 662-325-3000	13. E_W Watso	. \	msstate.edu	14 CROPK	ton
15 GENUS AND SPECIES NAME OF CROP	16. FAI	HILY NAME (Bolanic	al)	17. IS THE THYBRID	VARIETY A FIRST GENERATION
Gossypium hirsutum .	Ma	lvaceae			YES X NO
18. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow reverse) 2. [X] Exhibit A. Origin and Breeding History of the Variety 3. [X] Exhibit B. Statement of Distinctness	instructions on	CERTIFIED	OWNER SPECIFY THAT SEED O SEED? See Section 83(a) of YES (If Yes", answer items 20 and 21 below)	OF THIS VARIE the Plant Varie	ETY BE SOLD AS A CLASS OF tly Protection Act) NO (If "no," go to Item 22)
c. X Exhibit C. Objective Description of Variety d. \(\subseteq \text{ Exhibit D. Additional Description of the Variety (Optional)} \) e. \(\text{X} \) Exhibit E. Statement of the Basis of the Owner's Ownership		OF GENERA		DF THIS VARIE	ETY BE LIMITED AS TO MUMBER
Voictier Sample (2,500 viable untreated seeds or, for tuber propaga verification that tissue culture will be depositiod and maintained in an repository) Time and Examination Fee (\$2,450), made payable to "Treasurer of States" (Mail to the Plant Variety Protection Office)	approved public	1	TTEM 20, WHICH CLASSES OF OUNDATION [X] REGIS		
22. HAS THE VARIETY (INCLUDING ANY HARVESTED MATERIAL) OR A HYBRI FROM THIS VARIETY BEEN SOLD, DISPOSED OF, TRANSFERRED, OR US OTHER COUNTRIES?	D PRODUCED ED IN THE U. S. OR	23. IS THE VARI PROPERTY	ETY OR ANY COMPONENT OF RIGHT (PLANT BREEDER'S RIG	THE VARIET GHT OR PATE	Y PROTECTED BY INTELLECTUAL WITH
TYES NO MUST PROVIDE THE DATE OF FIRST SALE, DISPOSITION, T FOR EACH COUNTRY AND THE CIRCUMSTANCES. (Picase use space and	RANSFER, OR USE icated on reverse.)	IF YES, PLEA	YES ASE GIVE COUNTRY, DATE OF NUMBER. <i>(Please use space i</i>	FILING OR IS	NO SUANCE AND ASSIGNED Verse.)
24. The owners declare that a viable sample of basic seed of the variety will be furn for a tuber propagated variety a tissue culture will be deposited in a public report. The undersigned owner(s) is(are) the owner of this saxually reproduced or tube and is entitled to protection under the provisions of Section 42 of the Plant Variety (Owner(s) is(are) informed that talse representation herein can jeoperdize protection.	or propagated plant variety Protection Act.	iety, and believe(s) (o con uncace.		
SIGNATURE OF OWNER	1 .	SIGNATURE OF	OWNER		
Many M Cox to Vance H. L NAME (PROSSO PRINTOR TYPE)	Vatsor	NAME (Please p	rial or type)	 ,	
CAPACITY OR TITLE DATE		CAPACITY OR T	ппиє		DATE
:ET-470 (6-98) designed by the Plant Variety Protection Office with WordPerfect 6.0:	a, Replaces STO-470	(03-96) which is obse	slete. (See reverse for ins	tructions and i	information collection burden statement)

200100243

INSTRUCTIONS

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository: (4) check drawn on a U.S. bank for \$2,450 (\$300 filing fee and \$2,150 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 500, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$300 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvp.htm

ITEM

18a. Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- See Section 5.5 of the Act for instructions on claiming the benefit of an earlier filing date.
- 22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)
- 23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131. '97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the variety names proposed by contacting: Seed Branch, AMS, USDA, Room 213. Building 306, Beltsville Agricultural Research Center-East, Beltsville, MD 20705. Telephone: (301) 504-8089.

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for the burden, to Department of Agriculture, Clearance Officer, OIRM, AG Box 1630, Jamie L. Whitten Building, Washington, D.C. 20250. When replying, refer to OMB No. 0581-0055 and form number in your later. Under the PRA of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

later. Under the PRA of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sax, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotage, etc.) should contact the USDA Office of Communications at (202) 720-2791. To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is an equal opportunity employer.

an equal opportunity employer,
S&T-470 (6-98) designed by the Plant Variety Protection Office with WordPerfect 6.0a. Replaces STD-470 (03-96) which is obsolete.

EXHIBIT A Origin and Breeding History

1. Genealogy

MISCOT 8806 originated from a cross developed at Mississippi State University in 1988 between the commercial cutlivar DES 119 and germplasm line Tamcot CDP37HPIH-1-1-86. The pedigree plant breeding method was utilized in development. Tamcot strain CDP37HPIH-1-1-86 originated from a cross between Tamcot CD3H and Pora Intra, an upland strain from Argentina. An individual F2 plant, designated 8806-3, was selected and planted to an F2:F3 progeny row in 1990. A individual F3 plant, designated 8806-3-2, was planted to an F3:F4 progeny row in 1991, bulk harvested, and advanced to the F7 generation. In 1994, a single F3:F7 plant was selected and given the designation 8806-3-2-19. Following seed increase and extensive testing, 8806-3-2-19 was given the varietal designation MISCOT 8806, in 2001.

2. Selection and Multiplication

YEAR	GENERATIO N	SELECTION	LOCATION
1988	F0	Initial cross	MSU [†]
1988-9	F1	F1 Bulked	MSU - Greenhouse
1989	F2	Single plant selected on appearance, intermediate leaf hairs, and for high fiber quality	MSU
1990	F2:F3	Single plant selected for high fiber quality within high yielding F2F3 progeny row	MSU
1991	F3:F4	Bulk harvest - no selection	Stoneville, MS
1992	F3:F5	Bulk harvest - no selection	Stoneville, MS
1993	F3:F6	Bulk harvest - no selection	MSU
1994	F3:F7	Single plant selected for intermediate leaf hairs, high fiber quality and visual productivity	MSU
1995	F7:F8	Bulk harvest	Brooksville, MS
1996	F9	Bulk/Rogue off-types	Brooksville, MS
1997	F10	Bulk/Rogue off-types	Brooksville, MS
1998-2000	F11-F13	Breeder Increase	MSU

[†]Mississippi State, MS

EXHIBIT A (Continued)

Origin and Breeding History

3. Uniformity and Stability

MISCOT 8806 has been observed for four years of replicated yield testing and has been found to be stable and uniform for all morphological traits.

4. Frequency of Variants

Plants of MISCOT 8806 are characterized as having normal bracts and intermediate pubescence of the bottom leaf surface. However, a low frequency of plants with the frego bract trait and hairy leaves (less than 1 percent) have been observed and are described as variants.

EXHIBIT B Statement of Distinctness

MISCOT 8806 is an Upland variety with an open/loose boll suitable for picker-type harvesting. Stripper varieties are distinguished primarily by a more compact boll. Upland picker varieties are distinguished from Acala-type varieties primarily by earlier maturity, shorter fiber length, and reduced fiber strength.

MISCOT 8806 is different from all other picker-type varieties in both agronomic and fiber properties.

Stoneville 474 was used a comparison check variety because of it's similarities with MISCOT 8806[†]. Agronomically, Stoneville 474 was the highest yielding commercial variety available at the initiation of testing. Characteristics which distinguish MISCOT 8806 from Stoneville 474 are: Lint yield, lint percentage, fiber strength, fiber length, fiber microniare, uniformity index, earliness, seedcotton/boll, and node of first fruiting branch.

Novelty of MISCOT 8806 is claimed based upon significant differences for the following characters between one or more of the comparison varieties (ANOVA and LSD p=0.05).

Characteristics of MISCOT 8806	Compared to STONEVILLE 474:	TABLES
Lint Yield	greater	1
Lint Percent	less	2
Fiber Strength	greater	3
Fiber Length	greater	4
Micronaire	less	5
Uniformity Index	greater	6
Yield & Fiber Summary		7
Earliness	greater	8, 9
Seedcotton / boll	greater	10, 11
Fruiting Node	less	12
Yield (tobacco budworm infested plots)	less	13

EXHIBIT B (continued)

List of tables comparing MISCOT 8806 with Stoneville 474.

TABLE	TITLE	YEAR	LOC
1	Comparison of MISCOT 8806 to Suregrow 501 and Stoneville 474 for lint yield in 21 environments.	1999 2000	MS
2	Comparison of MISCOT 8806 to Suregrow 501 and Stoneville 474 for lint percentage in 21 environments.	1999 2000	MS
3	Comparison of MISCOT 8806 to Suregrow 501 and Stoneville 474 for fiber strength in 21 environments.	1999 2000	MS
4	Comparison of MISCOT 8806 to Suregrow 501 and Stoneville 474 for fiber length in 21 environments.	1999 2000	MS
5	Comparison of MISCOT 8806 to Suregrow 501 and Stoneville 474 for fiber micronaire in 21 environments.	1999 2000	MS
6	Comparison of MISCOT 8806 to Suregrow 501 and Stoneville 474 for fiber uniformity index in 21 environments.	1999 2000	MS
7	Summary of means for yield and fiber traits over 21 environments.	1999 2000	MS
8	Comparison of MISCOT 8806 to Stoneville 474 for earliness in 9 environments.	1996- 2000	MS, TX, AR, LA
9	Summary of means for earliness.	1996- 2000	MS, TX, AR, LA
10	Comparison of MISCOT 8806 to Suregrow 501 and Stoneville 474 for seedcotton/boll in 9 environments.	2000	AZ, LA MS, TX
11	Summary of means for seedcotton/boll.	2000	AZ, LA MA, TX
12	Comparison of MISCOT 8806 to Suregrow 501 and Stoneville 474 for fruiting node, fruiting node height, and plant height in two environments.	1999- 2000	MS
13	Evaluation of MISCOT 8806 for resistance to Tobacco budworm/bollworm at Mississippi State in 2000.	2000	MS

MISCOT 8806 (PVP # 200100243)

"MISCOT 8806 is most similar to Stoneville 474 except that MISCOT 8806 has greater lint yield, fiber strength, fiber length, uniformity index, earliness, and seedcotton per boll; and reduced lint percentage, micronaire, and node of first fruiting branch (fruiting node)."

U.S. DEPARTMENT OF AGRICULTURE PLANT VARIETY PROTECTION OFFICE, AMS, USDA NATIONAL AGRICULTURAL LIBRARY Bldg., Rm. 500 10301 BALTIMORE Blvd. BELTSVILLE, MD 20705

OBJECTIVE DESCRIPTION OF VARIETY COTTON (Gossypium spp.)

NAME OF APPLICANT(S) Mississippi Agricultural and Experiment Station Vance H. Watson, Director	Forestry	;	EMPORARY DESIGNATION 8806-3-2-19	VARIETY NAME MISCOT 8806
ADDRESS (Street and No., or R.I	F.D. No., City, State, and	ZIP Code)		FFICIAL USE ONLY
Box 9740 210 Bost Building Mississippi State, MS 39762-	-9740		i	NUMBER 0100243
Place the appropriate data that de numerical measurements, should re to determine plant colors. Characte	epresent those that are typ	ical for the variety. Roya	l Horticultural Society or any rec	teristics described, including to the color fan may be us
SPECIFIC VARIETIES USED FO which are adapted to your area. O	OR COMPARISON AS Comparison var	HECK VARIETIES IN rieties must be the most s	THIS APPLICATION: Use stan	dard regional check varietie
Variety 1. Stoneville 474	Variety 2. Su	regrow 501	Variety 3	
*1. SPECIES:	G. hirsutum L.	G. barbadens	e L.	
*2. AREA(S) OF ADAPTATION	: $(A = Adapted, NA = N$	Not Adapted, $NT = Not$	Tested)	
A_EasternNA PlainsOther (Specify):		Delta Western	<u>NT</u> Central _{NA} Arizona	NT Blacklands NT San Joaquin
3. GENERAL: Characteristics wh	ich are known to be vari	able but are still useful f	or a meaningful description of t	he variety.
	Application Variety	Comparison Variety	1 Comparison Variety 2	Comparison Variety 3
Plant Habit: Spreading, Intermediate, Compact	Compact	Compact	Compact	
Foliage: Sparse, Intermediate, Dense	Intermediate	_Intermediate	Intermediate	
Stem Lodging: Lodging, Intermediate, Erect	Intermediate	Erect	Erect	
Fruiting Branch: Clustered, Short, Normal	Normal	Normal	Normal Normal	
Growth: Determinate, Intermediate, Indeterminate	Intermediate	Intermediate	Intermediate	
Leaf Color: Greenish yellow, Light green, Medium green, Dark green	Light green	Light green	Light green	

Boll Shape: Length less than width Length equal to width, Length more than width	l, Length≥width	Length Wigth	Length > width
Boll Breadth: Broadest at base, Broadest at middle	Broadest at base	Broadest at base	Broadest at base
*4. MATURITY: (50 % Open bo	lls; Preferred method; Desc	ribe method if different me	ethod was used.)
% of first harvest	57.0	51.0	56.8
5. PLANT:			
Cm to 1st Fruiting Branch: (from cotyledonary node)	15_9	17.6	17.5
No. of Nodes to 1st Fruiting Bran (excluding cotyledonary node)	nch: 5.6	6.9	_6.0
Mature Plant Height cm: (from cotyledonary node to termin	al) 65.8	64.0	61.9
*6. LEAF: Upper most, fully expa	nded leaf.	······································	
Type: Normal, Sub Okra, Okra, Super Okra	Normal	Normal	Normal
Pubescence: Absent, Sparse, Medium, Dense <u>OR</u> Trichomes/cn (Bottom surface excluding veins)	n² Sparse	Medium	Sparse
Nectaries: Present or Absent	Present	Present	Present
*7. STEM PUBESCENCE: Glabrous, Intermediate, Hairy	Intermediate	Intermediate	
*8. GLANDS: (Gossypol) Absent	, Sparse, Normal, More Th	an Normal	
Leaf:	Normal	Normal	Normal
Stem:	Normal	Normal	Normal
Calyx Lobe: (normal is absent)	Normal	Normal	Normal
*9. FLOWER:			
Petals: Cream, Yellow	Cream	Cream	Cream
Pollen: Cream, Yellow	Cream	Cream	Cream
Petal Spot: Present, Absent	Absent	Absent	Absent
*10. SEED:			
Seed Index: (g/100 seed, fuzzy basis)	9.8	9.5	9.7
Lint Index: (g lint/100 seeds)			

Verticillium Wilt

NT Diplodia Boll Rot

Other (specify)

200100243

NT_Thrips (specify species):___

MR__Tobacco Bud Worm

<u>NT</u> Cutworm (specify species):

 $\overline{^{
m NT}}$ Fall Armyworm

NT Other (specify):

^{15.} COMMENTS: Present any additional information that cannot adequately be described in 1 through 13 which significantly distinguishes you variety.

Table 7. Summary of means for yield and fiber traits over 21 environments.

	Lint /	Lint	Fiber	Fiber		Fiber	Uniformity	Seed
Entry	Yield	Percent	Stength	Length	Micronaire	Elongation	Index	Index†
	lbs/a	%	gms/tex	inches		%		gms/100
MISCOT 8806	a‡ 1159	c 37.2	b 30.8	a 1.11	b 4.57	b 7.75	a 84.2	b 9.8
Suregrow 501‡	b 1027	b 38.3	a 31.7	b 1.09	a 4.79	a 8.16	a 84.2	b 9.7
Stoneville 474	b 1029	a 39.7	c 29.0	b 1.09	a 4.80	b 7.70	b 83.7	b 9.5
Mean	1077	37.9	29.9	1.10	4.68	7.79	84.0	9.8
Entry (Prob. > F)	0.0044	0.0001	0.0001	0.0001	0.0001	0.0001	0.0182	0.0110
LSD	76	0.57	0.78	0.01	0.11	0.14	0.39	0.31
CV%	11.0	2.3	4.1	1.90	3.58	2.81	0.72	4.1
R-square	0.97	0.96	0.93	0.94	0.96	0.98	0.93	0.96

[†] Seed index - 17 environments.

 $[\]ddagger$ Means within same column with different letters are significantly different according to LSD at p = 0.05.

Table 8. Comparison of MISCOT 8806 to Stoneville 474 for earliness in 9 environments.

				Ē	arliness (%)	
				MISCOT	Stoneville	
YEAR	TEST	Location	n (reps)	8806	474	LSD(0.05)
1996	Strains	Brks	4	18.2	16.8	13.1
1996	Strains	MSU	4	49.9	37.4	13.4
1996	Strains	Petal	4	25.5	16.9	10.5
1997	Strains	MSU	4	41.5	33.1	16.5
1998	RSST	Lbbk	4	76.0	66.0	11.0
1999	RSST	Keiser	4	48.0	58.0	12.0
2000	OVT	Alex	4	97.7	91.4	3.2
2000	OVT	Edge	4	76.0	65.0	· †
2000	RSST	Lbbk	4	77.0	76.0	13.0
		MEAN	36	57.0*	51.0	5.4

[†]LSD for individual location not available

^{*}Significantly different from Stoneville 474.

Table 9. Summary of means for earliness.

Entry	Earliness	Entry	Earliness
	%		%
MISCOT 8806	a [†] 57.0	MISCOT 8806	66.1
Stoneville 474	b 51.0	Suregrow 501	56.8
Mean	53.9	·	61.4
n (loc)	9		4
Entry (Prob. > F)	0.05		0.13
LSD	5.4		14.1
CV%	9.2		10.2
R-square	0.98		0.97

 $^{^{\}dagger}$ Means within same column with different letters are significantly different according to LSD at p = 0.05.

Table 10. Comparison of MISCOT 8806 to Suregrow 501 and Stoneville 474 for seedcotton/boll in 9 environments.

					See	dcotton/Bo	ll (gms)		
				MISCOT	Suregrow	Stoneville	TRIAL]
YEAR	TEST	Location	n (reps)	8806	501	474	MEAN	LSD(0.05)	C.V.%
2000	LAOVT	ALEX/LA	4	5.0	4.9	4.7	4.9	0.40	5.6
2000	LAOVT	BOS/LA	4	3.9	4.4	3.9	4.3	0.40	5.7
2000	LAOVT	STJO/LA	4	4.4	4.8	4.3	4.4	0.30	4.3
2000	LAOVT	· WINIR/LA	4	4.3	4.7	4.1	4.5	0.50	6.5
2000	LAOVT	WINDR/LA	4	3.7	3.9	3.6	3.9	0.90	13.3
2000	AZOVT	MARA/AZ	5	5.1	5.6	5.3	5.4	0.30	5
2000	TXRSST	LBCK/TX	4	4.3	3.9	4.4	4.7	0.60	7.8
2000	MSRSST	MSU/MS	6	4.3	4.7	4.1	4.7	0.60	7.5
2000	MSUSDA	USDA/MS	. 4	4.6	4.7	4.6	5.1	0.36	4.9
		MEAN	9+	4.4	4.6	4.3			

^{+ -} Number of environments

Table 11. Summary of means for seedcotton/boll.

	Seedcotton
Entry	per Boll
	(g)
8806	b† 4.40
SG 501	a 4.62
STV 474	c 4.33
Mean	4.45
Loc (reps)	9
Prob. > F‡	0.0001
LSD (0.05)	0.06
C.V.%	1.3

†Means within column with different letters are significantly different according to LSD test p = 0.05. ‡For entry, probability greater than F value.

Table 12. Comparison of MISCOT 8806 to to Suregrow 501 and Stoneville 474 for fruiting node, fruiting node height, and plant height in two environments¹.

	Fruiting	Fruiting	Plant
Entry	Node†	Node Ht‡	Height
MIS 8806	b¶ 5.6	a 15.9	a 65.8
STV 474	a 6.9	a 17.6	ab 64.0
SG 501	b 6.0	a 17.5	b 61.9
Mean	6.2	17.0	63.9
Reps	12	12	12
LSD (0.05)	0.6	2.2	3.8
C.V.%	12.5	16.1	7,1

¹1999 and 2000 MSU Variety Trials.

[†]Node of first fruiting branch

[#]Height (cm) to first first fruiting branch.

 $[\]P$ Means within same column with different letters are significantly different according to LSD at p = 0.05.

Table 13. Evaluation of MISCOT 8806 for resistance to tobacco budworm/bollworm at Mississippi State in 2000.

Entry	Lint Yield		Lint	Percent
	Spray1	Worms2	Loss	of Potential
	lbs/a	lbs/a	lbs/a	%
8806-3-2-19	1076 (2)†	a [‡] 921 (2)	155 (9)	86.7 (9)
STV 474	763 (17)	b 455 (24)	308 (23)	62.4 (26)
SG 501	1030 (8)	b 675 (14)	354 (27)	65.0 (23)
Entries	28	28	28	28
LSD (0.05)	209	177	220	25.8

- 1 Plots protected from bollworm/budworms
- 2 Plots infested six times with tobacco budworms
- †Ranking among 28 entries.
- \ddagger Means within same column with different letters are significantly different according to LSD at p = 0.05.

U.S. DEPARTMENT OF AGRICULTURE	The following statements are made	n eccordance with the Privacy Act of	
AGRICULTURAL MARKETING SERVICE	1974 (5 U.S.C. 552a) and the Paperwo	ork Reduction Act (PRA) of 1995	
EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).		
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME	
Mississippi Agricultural and Forestry			
Experiment Station	8806-3-2-19	MISCOT 8806	
Vance H. Watson, Director			
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (include area code)	6. FAX (include area code)	
-	662-325-3000	662-325-3001	
Box 9740	7. PVPO NUMBER		
210 Bost Building	20010024	72	
Mississippi State, MS 39762-9740			
8. Does the applicant own all rights to the variety? Mark an "X" in appropri	nate block. It no, please explain.	X YES NO	
9. Is the applicant (individual or company) a U.S. national or U.S. based or If no, give name of country	ompany?	X YES NO	
	O If no, please answer one of the t	ollowina:	
10. Is the applicant the original owner?	<u> </u>		
a. If original rights to variety were owned by individual(s), is (are) the or	iginal owner(s) a U.S. national(s)?		
□ YES □ N	If no, give name of country		
لــــا b. If original rights to variety were owned by a company(ies), is(are) the	original owner(s) a U.S. based compan	y?	
	(O If no, give name of country	•	
, U.172 U.	,0		
11. Additional explanation on ownership (if needed, use reverse for extra sp	pace):		
·			
	· · · · · · · · · · · · · · · · · · ·		
PLEASE NOTE:			
Plant variety protection can be afforded only to owners (not licensees) who meet o	ne of the following criteria:		
 If the rights to the variety are owned by the original breeder, that person must b which affords similar protection to nationals of the U.S. for the same genus and 		ocr country, or national of a country	
 If the rights to the variety are owned by the company which employed the origin member country, or owned by nationals of a country which affords similar protests. 			
. If the applicant is an owner who is not the original owner, both the original own	ner and the applicant must meet one of the a	bove criteria.	
The original breeder/owner may be the individual or company who directed final b	oreeding. See Section 41(a)(2) of the Plant	Variety Protection Act for definition.	
According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection is 0581-0055. The time required to compete this information collections searching existing data sources, gathering and maintaining the data needed, and completing and	tion is estimated to average 10 minutes per respon	ontrol number. The valid OMB control number for use, including the time for reviewing instructions,	
The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of (Not all prohibited bases apply to all programs). Persons with disabilities who require atternative USDA's TARGET Center at 202-720-2600 (voice and TDD).	of rece, color, national origin, sex, religion, ege, disab e means for communication of program information (ity, political beliefs, and marital or familial status, braille, targe print, audiotape, etc.) should contact	
To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Wash	ington, D.C. 20250, or call 1-800-245-6340 (voice	s) or (202) 720-1127 (TDD). USDA is an equal	

STD-470-E (07-97) (Destroy previous editions).
Electronic version designed using WordPerfect InForms by USDA-AMS-IMB.

EXHIBIT E - ADDITIONAL EXPLANATION ON OWNERSHIP - IF NEEDED???:

MISCOT 8806 originated from a cross made by the Cotton Breeding Program of Mississippi Agricultural & Forestry Experiment Station (MAFES). Subsequent selection, evaluations, and increase was performed solely under the direction of MAFES personnel. The Mississippi Agricultural & Forestry Experiment Station retains all rights and ownership of MISCOT 8806 cotton variety.